




→ Self Serve

JetWash™



 **WashTec**

Compact, state-of-the-art self serve from the global leader in vehicle cleaning systems.

Compact footprint



→ JetWash accommodates up to four bays in a self-contained unit only 56" wide and 24" deep, making it easy to get through a standard-sized door and easy to fit into a small equipment room.

Variable frequency drives



→ VFDs allow you to change the pump speed used for each wash function, giving you complete control of water and chemical consumption.

Direct drive motors



→ Direct drives run smoother and quieter than belts and pulleys while eliminating the maintenance headache of having to regularly adjust them.

Bay meters



→ Accept your choice of coins, tokens, bills and credit cards via multiple integrated card processing solutions.

In-bay equipment



→ Choose from stainless steel "economy" in-bay gear or upgrade to sleek, polished stainless steel z-booms, brush buckets and wand holders.

Pre-plumbed and pre-wired



→ Intelligent routing of plumbing and wiring gives JetWash a clean look and makes it fast and easy to install, as well as easier to service.

Compact, state-of-the-art self serve from the global leader in vehicle cleaning systems.

Choice of pump hour meters




→ Choose from non-resettable mechanical hour meters or resettable LED hour meters with programmable service alerts.

Choice of pumps



→ Choose between Giant or CAT pumps with either 3HP or 5HP motors to match your needs.

Chemical injectors



→ Injectors provide more precise control over chemical delivery than mixing tanks and air pumps, ensuring your ability to get cars clean while controlling operating costs for consumables.

Lighted solenoid plugs



→ Solenoid plugs light up when activated for easier troubleshooting.

Standard Features:

- High-Pressure Soap
- High-Pressure Wax
- Low-Pressure Presoak
- Low-Pressure Tire Cleaner
- High-Pressure Rinse
- Manual Override
- Rotary Coin Boxes
- Slugbuster Coin Acceptors
- Dixmor Timers
- Vaults
- 180° and 360° Booms

Revenue Enhancing Options:

- Credit Card Acceptor
- Bill Acceptor
- Spot Free Rinse
- HP Rinse Temperature Selection
- Wheel Cleaner
- Bug Cleaner
- Glass Cleaner
- Bubble Brush
- Tri-Foam Bubble Brush
- Foaming Conditioner (e.g. Rain-X®)
- Tri-Foam Conditioner
- Plus Full Selection of In-Bay Options

Cold Weather Options:

- Weep (manual or automatic)
- Antifreeze Injection

Dimensions:

- Height: 67.0" / 170.2cm
- Width: 56.0" / 142.2cm
- Depth: 24.0" / 61.0cm

Utilities:

- Electrical: 380-415VAC 50Hz 3Ø 10Amp+7.5Amp/bay for 5hp motors
- Electrical: 380-415VAC 50Hz 3Ø 10Amp+5Amp/bay for 3hp motors
- Minimum Water Pressure: 40 PSI / 2.8 bar
- Maximum Water Pressure: 85 PSI / 5.9 bar
- Maximum Water Demand Per Bay (3hp pump): 3.5 GPM / 13.2 LPM
- Maximum Water Demand Per Bay (5hp pump): 5 GPM / 18.9 LPM
- Minimum Air Supply: ½" line with 60 PSI / 4.1 bar
- Maximum Air Supply: 150 PSI / 10.3 bar
- Air Consumption Demand: 1.5 CFM / 42.8 LPM per bay

The "World of WashTec" has everything for your success.



→ **Comprehensive range:** The right solution for your washing business can always be found.

Roll-over car washes for low, medium and high washing volumes

Conveyor tunnel systems with modular design for all sizes and all requirements

Commercial vehicle washes for washing companies and in-house requirements

Self-service washing equipment with modular design for all needs and different location sizes

Water treatment – chemical-free and environmentally friendly

WashTec chemicals – cleaning and care products for all car washes

→ **Rapid Service** – nationwide support 7 days a week from technicians armed with state-of-the-art equipment and service vehicles stocked with everything needed to keep you washing cars

→ **Customized financing plans** – we will promote your business at fair conditions.

→ **Reliable experience** – innovative car washing technology for more than 40 years. **More than 2 million cars are cleaned in WashTec washing facilities every day.**

→ **Value for money services:**

Site analysis for optimum sizing of your business

Cost-effectiveness calculations help with your planning

Sales training for staff increases revenue

→ **Tested quality** EN ISO 9001, 14001 certification – for your safety.



© 2010 WashTec Australia Pty Ltd. Specifications subject to change without notice. Rain-X is a trademark of Ecolab Inc. Total Turtle is a trademark of TurtleWax Inc.

WashTec Australia Pty Ltd
1, 33 Maddox Street
Alexandria, NSW
2015 Australia

Phone: +61 (0)2 8394-5000 (Australia)
Fax: +61 (0)2 8394-5099 (Australia)
Email: info@washtec.com.au
Web: www.washtec.com.au

Represented in New Zealand by
Car Kleen New Zealand Limited
B9, 1066 Great South Road
Penrose, Auckland
New Zealand

Phone: +64 (0)9 276-1960
Fax: +64 (0)9 276-1962
Email: cknz@xtra.co.nz